

Application No.: 10/602747
Docket No.: CL1686USDIV

Page 2

Amendments to Claims

Claim 1 (Previously Presented) A method for the expression of a coding region of interest in a *Bacillus sp* comprising:

a) providing a transformed *Bacillus sp* cell having a chimeric gene comprising the promoter region of a *Bacillus* gene operably linked to a coding region of interest expressible in a *Bacillus sp*, wherein the promoter region is of a *Bacillus subtilis yvaWXY* gene; and

b) growing the transformed *Bacillus sp* cell of step (a) in the absence of oxygen wherein the chimeric gene of step (a) is expressed.

Claim 2 (Previously Presented) A method for the expression of a coding region of interest in a *Bacillus sp* comprising:

a) providing a transformed *Bacillus sp* cell having a chimeric gene comprising the promoter region of a *Bacillus* gene operably linked to a coding region of interest expressible in a *Bacillus sp*, wherein the promoter region is of a *Bacillus subtilis yvaWXY* gene;

b) growing the transformed *Bacillus sp* cell of step (a) in the presence of oxygen whereby the cell density is increased; and

c) at a time prior to about T₀, removing oxygen from the transformed *Bacillus sp* cell of step (b) whereby the chimeric gene is expressed.

Claim 3 (Original) A method according to Claim 2 wherein after step (c) oxygen is re-supplied to the transformed *Bacillus sp* cell.

Claim 4 (Previously Presented) A method according to either of Claims 1 or 2 wherein the promoter region is a promoter region for driving expression of a *Bacillus* gene contained in a nucleic acid fragment as set forth in SEQ ID NO:8.

Claims 5-7 (Canceled).

Claim 8 (Previously Presented) A method for the expression of a coding region of interest in a *Bacillus sp* comprising:

a) providing a transformed *Bacillus sp* cell having a chimeric gene comprising the promoter region of a *Bacillus* gene operably linked to a coding region of interest expressible in a *Bacillus sp*, wherein the promoter region is of a *Bacillus subtilis yvaWXY* gene; and

Application No.: 10/602747
Docket No.: CL1686USDIV

Page 3

b) growing the transformed *Bacillus sp* cell of step (a) in the presence of oxygen until the cell reaches about TO of the stationary phase wherein the chimeric gene of step (a) is expressed.

Claim 9 (Previously Presented) A method according to Claim 8 wherein the promoter region is a promoter region for driving expression of a *Bacillus* gene contained in a nucleic acid fragment as set forth in SEQ ID NO:8.

Claims 10-13 (Canceled).

Claim 14 (Previously presented) A method according to any of Claims 1, 2 or 3 wherein the expression of the chimeric gene is regulated at TO of the stationary phase.

Claim 15 (Previously Presented) A method according to any one of Claims 1, 2, 3, 4, and 8, wherein the *Bacillus sp* cell is selected from the species consisting of *Bacillus subtilis*, *Bacillus thuringiensis*, *Bacillus anthracis*, *Bacillus cereus*, *Bacillus brevis*, *Bacillus megaterium*, *Bacillus intermedius*, *Bacillus thermoamyloliquefaciens*, *Bacillus amyloliquefaciens*, *Bacillus circulans*, *Bacillus licheniformis*, *Bacillus macerans*, *Bacillus sphaericus*, *Bacillus stearothermophilus*, *Bacillus laterosporus*, *Bacillus acidocaldarius*, *Bacillus pumilus*, and *Bacillus pseudofirmus*.

Claim 16 (Previously presented) A method according to any one of Claims 1, 2, 3, 4, and 8, wherein the coding region of interest is selected from the group consisting of *crtE*, *crtB*, *pds*, *crtD*, *crtL*, *crtZ*, *crtX*, *crtO*, *phaC*, *phaE*, *eef*, *pdc*, *adh*, genes encoding limonene synthase, pinene synthase, bornyl synthase, phelandrene synthase, cineole synthase, sabinene synthase, and taxadiene synthase.

Claims 17-28 (Canceled).